

# SAFETY DATA SHEET

**ORIGINAL DATE: 01-21-2024** 

**REV. DATE: 07-31-2024** 

## **SECTION 1: PRODUCT IDENTIFICATION**

PRODUCT NAME: MVR9 LWT EPOXY PART B
PRODUCT CODES: 2209 SERIES PART B
PRODUCT USE: Coatings Material – Clear.
MANUFACTURER: Granicrete International. Inc.

**ADDRESS:** 4602 S 36<sup>th</sup> Street, Phoenix, AZ 85040 **PHONE:** (602) 438-9464

24-7 EMERGENCY PHONE WITH PERS: 800-633-8253

### **SECTION 2: HAZARDS IDENTIFICATION**

GHS CLASSIFICATION	<u>Category</u>
Acute toxicity - Oral	4
Skin corrosion -	1C
Serious Eye Damage	1
Skin sensitization	1
Repeated oral exposure	2

### **GHS PICTOGRAM**





Signal Word DANGER

Appearance Clear Viscous Liquid

Physical State Liquid
Odor Solvent

**Hazard Statements:** H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H373: May cause damage to organs through prolonged or repeated exposure if swallowed.

#### **Precautionary Statements:**

P202: Do not handle until all safety precautions have been read and understood.

P223: Keep container tightly closed. P102: Keep out of reach of children.

#### **Prevention Statements:**

P260: Do not breathe dust/fume/gas/mist/vapors/spray.

P264: Wash skin thoroughly after handling. Do not eat, drink or smoke when using product. P272: Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

### **Response Statements:**

P301: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P302: IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304: IF INHALED: Remove victim to fresh air and keep comfortable for breathing.

P305: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P311: Call a POISON CENTER or doctor/ physician if you feel unwell.

P362: Take off contaminated clothing and wash before reuse.

P337: If skin irritation or rash occurs: Get medical advice/ attention. P337+313: If eye irritation persists: Get medical advice/ attention.

P370+378; In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam for extinction.

#### **Storage Requirements:**

P403+233: Store in a well-ventilated cool place. Keep container tightly closed. Store locked up.

#### **Disposal Requirements:**

P501: Dispose of contents/ container to local and regional waste disposal requirements.

#### Hazards not otherwise classified:

Combustible
Severe eye irritant
Severe respiratory irritant
May cause sensitization by skin

#### **SECTION 3: COMPOSITION - INGREDIENTS**

COMPONENT	CAS#	% BY WEIGHT
Modified Cycloaliphatic Amine Reaction Product	TS	50-60
Benzyl alcohol	100-51-6	10-25
Tris-2,4,6-(dimethylaminomethyl)phenol)	90-72-2	<10

Note: This product may contain additional ingredients that are proprietary, or non-hazardous, or in small concentration not meeting disclosure requirements.

## **SECTION 4: FIRST-AID MEASURES**

**General Advice:** Move out of dangerous area. Consult a physician with this SDS. Seek medical advice. If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately..

**Eye Contact**: Immediate and continuous irrigation with flowing water for at least 30 minutes is required. Promptly seek medical attention.

**Skin Contact:** Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing, preferably under a safety shower. Seek medical attention immediately. Avoid prolonged or repeated contact to skin. Wash thoroughly after handling.

**Inhalation:** Move to fresh air and keep at rest in a position comfortable for breathing. If not breathing or breathing is irregular, provide artificial respiration or give oxygen by trained personnel. Get medical attention immediately.

**Ingestion:** Never give anything by mouth to an unconscious person. DO NOT induce vomiting. Rinse mouth with water. Get medical attention immediately. Repeated and/or prolonged exposure.

**Most Important Symptoms/Effect, Acute and Delayed:** Repeated and/or prolonged exposure to low concentrations of vapors and/or aerosols may cause: Sore throat, eye disease, skin disorders, allergies, asthma, and neurological disorders.

Immediate Medical Attention and Special Treatment: Note to Physicians: Corrosive. May cause stricture. lavage is performed, suggest endotracheal and/or esophagoscopic control. If burn is present, treat as any thermal burn, after decontamination. No specific antidote. Supportive care. Treatment based on judgment of the physician in response to reactions of the patient. Application of corticosteroid cream has been effective in treating skin irritation.

# **SECTION 5: FIRE FIGHTING MEASURES**

FLAMMABLE LIMITS IN AIR (% BY VOLUME): UPPER LIMITS: N/A LOWER LIMITS: N/A

**FLASH POINT:** 213 °F (100.56°C)

**METHOD USED: PMCC** 

NFPA HAZARD RATING: 4 = EXTREME; 3 = HIGH; 2 = MODERATE; 1 = SLIGHT; 0 = MINIMAL

HEALTH 2
FLAMMABILITY 1
REACTIVITY 0
OTHER: N/A

**EXTINGUISHING MEDIA:** Water, fog, alcohol foam, CO2, or Dry Chemical

**FIRE FIGHTING PROCEDURES:** Wear positive pressure SCBA **UNUSUAL FIRE AND EXPLOSION HAZARDS:** Use full protective clothing.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment, Emergency Producers

Wear suitable protective clothing, gloves, and eye/face protection. Avoid breathing vapors/mist/gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

## **Environmental Precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## Methods and Materials for Containment and Cleaning-Up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. For disposal see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

## **Precautions for Safe Handling**

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Put on appropriate personal protective equipment before handling. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge.

Ground all transfer equipment. Hold bulk storage under a nitrogen blanket. This product should not come in contact with copper or copper-bearing alloys. Good general housekeeping procedure should be followed. Do not store near acids. Keep containers tightly closed in a dry, cool and well-ventilated place.

#### **Conditions for Safe Storage**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# **Hygiene Practice**

Eating, drinking, and smoking should be prohibited in areas where this material is handled. Wash hands thoroughly after handling.

# **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### **Control Parameters**

N/A

#### **Engineer Controls**

Use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure to airborne contaminants below recommended exposure limits.

Wear appropriate personal protective equipment where such systems are not effective to perform satisfactorily and meets OSHA or other recognized standards. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### **Personal Protection Equipment**

**Eye/Face Protection** Tightly fitted safety goggles.

Face shield (8-inch minimum).

Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU).

**Skin Protection** Handle with gloves. Gloves must be inspected prior to use.

Use proper glove removal technique (without touching glove's outer surface)

to avoid skin contact with this product.

Dispose of contaminated gloves after use in accordance with applicable laws

and good laboratory practices.

Wash and dry hands after handling or before eating, drinking, or smoking. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated

use by our customers. It should not be construed as offering an approval for

any specific use scenario.

**Body Protection** Impervious clothing. Closed-toe shoe.

Flame retardant antistatic protective clothing.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific

workplace.

Respiratory Protection Where risk assessment shows air-purifying respirators are appropriate use a

full-face respirator with multipurpose combination (US) or type ABEK (EN

14387) respirator cartridges as a backup to engineering controls.

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Environmental Exposure Controls** Prevent further leakage or spillage if safe to do so. Do not

allow product to enter sewers or waterways.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Physical State Viscous liquid
Color Amber color
Odor Amine

Odor Threshold No data available No data available Melting Point / Freezing Point No data available 400F, 205C Boiling Point/Range Flash Point / Evaporation Rate No data available Flammability (solid/gas) No data available Upper/lower Flammability Limit / Vapor Pressure <10.35mmHg Vapor Density Water =1 ... 5.88 1.175 g/cm3 at 77F **Relative Density** 

Specific Gravity 1.01

Partition Coefficient: n-octanol/water No data available
Auto-Ignition Temperature No data available
Decomposition Temperature No data available
Viscosity 450mPa.s @ 73F
Explosive Properties No data available
Oxidizing Properties No data available

## **SECTION 10: STABILITY AND REACTIVITY**

#### **SECTION 10. STABILITY AND REACTIVITY**

**Control Parameters**No data available

Chemical Stability Can react strongly with resins at elevated

temperatures.

**Possibility of Hazardous Reaction** Avoid uncontrolled resin quantities.

Conditions to Avoid Can react strongly with resins at elevated

temperatures.

**Incompatible Materials** Reactive metals (Sodium, Calcium, Zinc, etc.)

Materials reactive with hydroxyl compounds Organic acids (acetic acid, citric acid, etc.)

Mineral acids

Sodium hypochlorite

Product slowly corrodes copper, aluminum, zince,

and galvanized surfaces.

Reaction with peroxides may result in violent decomposition of peroxide possibly creating an

explosion.

Oxidizing agents

Hazardous Decomposition Products Nitrogen oxides (NOx)

Nitrogen oxide can react with water vapors to form

corrosive nitric acid.

In the event of fire: see section 5.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

# Information on the Likely Routes of Exposure

Eye Contact Cause eye irritation

Skin Contact Cause skin irritation

Inhalation Allergic Reaction

Ingestion Irritation

# Symptoms Related to Physical, Chemical, and Toxicological Effects

Ingestion: Ingestion may cause gastrointestinal irritation or ulceration. Ingestion may cause burns of mouth and throat. Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

Skin Contact: Prolonged or widespread skin contact may result in absorption of harmful amounts.

Skin: Brief contact may cause severe skin burns. Symptoms may include pain, severe local redness and tissue damage. Skin contact has caused allergic skin reactions in certain sensitized individuals.

Eyes: May cause pain disproportionate to the level of irritation to eye tissues. May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chemical burns may occur.

Inhalation: May cause allergic respiratory response. Excessive exposure may cause irritation to upper respiratory tract (nose and throat).

# **Chronic Toxicity / Effects from Long Term Exposure**

Sensitization Skin sensitizer
Germ Cell Mutagenicity No data available
Carcinogenicity No data available
Reproductive Toxicity No data available
Specific Target Organ Systemic
Toxicity (Single Exposure) No data available
Specific Target Organ Systemic
Toxicity (Repeated Exposure) No data available
No data available

# Products Numerical Measures of Toxicity Not determined

**Additional Information:** To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: ECOLOGICAL INFORMATION**

Aquatic LifeNo data availablePersistence and DegradabilityNo data availableBio accumulative PotentialNo data availableMobility in SoilNo data available

**Results of PBT and vPvB Assessment**No data available as chemical safety assessment not

required/not conducted.

#### **Other Adverse Effects**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

### **Waste/Unused Products**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

This product should not be allowed to enter drains, water courses or the soil.

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contact supplier if guidance is required.

## **Contaminated Packaging**

Dispose of container and unused contents in accordance with federal, state, and local requirements.

## **SECTION 14: TRANSPORTATION INFORMATION**

**DOT (US)** UN2735, Amines, liquid, corrosive, n.o.s. (Polyamine), 8, III

Packaged in 5 liters (1.3 gallons) or less is acceptable as Limited Quantity.

IMO/IMDG UN2735, Amines, liquid, corrosive, n.o.s. (Polyamine), 8, III

ICAO/IATA UN2735, Amines, liquid, corrosive, n.o.s. (Polyamine), 8, III

## **SECTION 15: REGULATORY INFORMATION**

### **UNITED STATES**

#### TSCA 8 (b) Inventory Status

All Components are listed or exempt from listing on the Toxic Substances Control Act Inventory.

#### TSCA 12 (b) Export Notification

None above reporting de minimus

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive hazard	Yes

# **California Prop. 65 Components**

This product may contain chemical known to the State of California to cause birth defects or other reproductive harm.

#### **CANADA**

CEPA DSL/NDSL Status All components are listed or exempt from listing on the

Domestic Substances List.

**SECTION 15 NOTES:** If you are unsure if you must report more information, call the EPA Emergency Planning and Right-To-Know Hot Line: 800-535-0202 or 202-479-2449. The concentrations shown in this document are maximum or ceiling levels (expressed in weight %, unless otherwise specified) to be used for regulations. Trade Secrets are indicated by "TS".

## **SECTION 16: OTHER INFORMATION**

### **HMIS Rating**

Health Hazard 2
Flammability 1
Physical Hazard 0

# **NFPA Rating**

Health Hazard 2
Fire Hazard 1
Reactivity Hazard 0

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is required that each recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given.