

SAFETY DATA SHEET ORIGINAL DATE: 01-21-2024 REV. DATE: -- -- ----

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME: ALIPOLY 85 CLEAR GLOSS or SATIN SEALER RESIN PART-A PRODUCT CODES: 2500 - AP85

PRODUCT USE: Coatings Material, Clear and Tinted.

MANUFACTURER: Granicrete International, Inc.

ADDRESS: 4602 S 36th St, Phoenix, AZ 85040

24-7 EMERGENCY PHONE WITH PERS: 800-633-8253

PHONE: (602) 438-9464

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION Cate	egory	GHS PICTOGRAM
Skin Sensitization	1	\land
Flammable Liquids	4	
Skin Irritation	2	
Eye Irritation	2	▼
Signal Word	WARNIN	
Appearance		cous Liquid
Physical State	Liquid	
Odor	Solvent	
Hazard Statements:		uses skin irritation
		ay cause an allergic skin reaction
		uses serious eye irritation
		y cause respiratory irritation
	H227: Co	mbustible Liquid
Precautionary Statements:		
		Il safety precautions have been read and understood.
	Keep container tightl	
	Keep out of reach of	children.
Prevention Statements:		
	-	as/ mist/ vapors/ spray.
	n thoroughly after ha	andling. Do not eat, drink or smoke when using this
product.		
P272: Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.		
		ective clothing/ eye protection/ face protection.
Response Statements:	neerive gioves/ prote	
-	OWFD: rinse mouth	Do NOT induce vomiting.
		Take off immediately all contaminated clothing. Rinse
skin with water		Take on miniculately an containinated clothing. Milse
		fresh air and keep comfortable for breathing.
		ith water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.		
	•	cor/ physician if you feel unwell.
		g and wash before reuse.
		: Get medical advice/ attention.
		Get medical advice/ attention.
-	-	nd, dry chemical, or alcohol-resistant foam for extinction.

Storage Requirements:

P403+233: Store in a well-ventilated cool place. Keep container tightly closed. Store locked up.

Disposal Requirements:

P501: Dispose of contents/ container to local and regional waste disposal requirements.

Hazards not otherwise classified:

Combustible Severe eye irritant Severe respiratory irritant May cause sensitization by skin

SECTION 3: COMPOSITION - INGREDIENTS

COMPONENT	CAS #	% BY WEIGHT
Aspartic Ester	TD	70-100
Trimethylpentanediol Diisobutyrate	6846-50-0	2-10

Note: This product may contain additional ingredients that are proprietary, or non-hazardous, or in small concentration not meeting disclosure requirements.

SECTION 4: FIRST-AID MEASURES

General Advice

Move out of dangerous area. Consult a physician with this SDS. Seek medical advice. If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately..

Eye Contact

Immediately flush eyes with plenty of water for at least 20 minutes

Skin Contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water for at 20 minutes. Get medical attention if irritation develops or persists.

Inhalation

Move to fresh air and keep at rest in a position comfortable for breathing. If not breathing or breathing is irregular, provide artificial respiration or give oxygen by trained personnel. Get medical attention immediately.

Ingestion

Never give anything by mouth to an unconscious person. DO NOT induce vomiting. Rinse mouth with water. Get medical attention immediately. Repeated and/or prolonged exposure.

Most Important Symptoms/Effect, Acute and Delayed

Repeated and/or prolonged exposure to low concentrations of vapors and/or aerosols may cause: Sore throat, eye disease, skin disorders, allergies, asthma, and neurological disorders.

Immediate Medical Attention and Special Treatment

Note to Physicians: Application of corticosteroid cream has been effective in treating skin irritation.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Specific Hazards from Substances of Mixture

Incomplete combustion may form carbon monoxide. May generate ammonia gas. May generate toxic nitrogen oxide gases. Burning produces noxious and toxic fumes. Downwind personnel must be evacuated. Use personal protective equipment.

Special Protective Equipment for Fire Fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further Information

Do not allow run-off from firefighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, Emergency Producers

Wear suitable protective clothing, gloves, and eye/face protection. Avoid breathing vapors/mist/gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and Materials for Containment and Cleaning-Up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. For disposal see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Put on appropriate personal protective equipment before handling. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge.

Conditions for Safe Storage

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hygiene Practice

Eating, drinking, and smoking should be prohibited in areas where this material is handled. Wash hands thoroughly after handling.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineer Controls

Use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure to airborne contaminants below recommended exposure limits.

Wear appropriate personal protective equipment where such systems are not effective to perform satisfactorily and meets OSHA or other recognized standards.

Handle in accordance with good industrial hygiene and safety practice.

Wash hands before breaks and at the end of workday.

Personal Protection Equipment

Eye/Face Protection	Tightly fitted safety goggles.		
	Face shield (8-i	nch minimum).	
	Use equipment	t for eye protection tested and approved under appropriate	
	government st	andards such as NIOSH (US) or EN 166(EU).	
Skin Protection	Handle with glo	oves. Gloves must be inspected prior to use.	
	Use proper glo	ve removal technique (without touching glove's outer surface)	
	to avoid skin co	ontact with this product.	
	Dispose of con	taminated gloves after use in accordance with applicable laws	
	and good labor	ratory practices.	
		nands after handling or before eating, drinking, or smoking.	
		ion, or mixed with other substances, and under conditions	
	which differ from EN 374, contact the supplier of the CE approved gloves.		
	This recommendation is advisory only and must be evaluated by an industrial		
		afety officer familiar with the specific situation of anticipated	
	•	comers. It should not be construed as offering an approval for	
	any specific use		
Body Protection	•	thing. Closed-toe shoe.	
	Flame retardant antistatic protective clothing.		
	The type of protective equipment must be selected according to the		
		and amount of the dangerous substance at the specific	
	workplace.		
Respiratory Protection	tion Where risk assessment shows air-purifying respirators are appropriate use a		
	•	ator with multipurpose combination (US) or type ABEK (EN	
	14387) respira	tor cartridges as a backup to engineering controls.	
	If the respirato	r is the sole means of protection, use a full-face supplied air	
	respirator. Use respirators and components tested and approved under		
	appropriate go	vernment standards such as NIOSH (US) or CEN (EU).	
Environmental Exposu	re Controls	Prevent further leakage or spillage if safe to do so. Do not	
		allow product to enter into sewers or waterways.	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State Viscous liquid Color Clear Odor Solvent Odor Threshold No data available No data available pН Melting Point / Freezing Point No data available **Boiling Point/Range** No data available Flash Point / Evaporation Rate No data available Flammability (solid/gas) No data available Upper/lower Flammability Limit / Vapor Pressure No data available Vapor Density No data available **Relative Density** 1.010 g/cm3 at 77°F (25°C) Water Solubility <0.1 g/L Partition Coefficient: n-octanol/water No data available Auto-Ignition Temperature No data available **Decomposition Temperature** No data available Viscosity 50-150 CPS at 77°F (25°C) **Explosive Properties** No data available **Oxidizing Properties** No data available

SECTION 10: STABILITY AND REACTIVITY

SECTION 10. STABILITY AND REACTIVITY

Control Parameters	No data available
Chemical Stability	Stable under recommended storage conditions
Possibility of Hazardous Reaction	No data available
Conditions to Avoid	Heat, flames, sparks, and oxidizing agents
Incompatible Materials	Reactive metals (Sodium, Calcium, Zinc, etc.)
	Materials reactive with hydroxyl compounds
	Organic acids (acetic acid, citric acid, etc.)
	Mineral acids
	Sodium hypochlorite
	Product slowly corrodes copper, aluminum, zince,
	and galvanized surfaces.
	Reaction with peroxides may result in violent
	decomposition of peroxide possibly creating an
	explosion.
	Oxidizing agents
Hazardous Decomposition Products	Nitric acid, Ammonia
	Nitrogen oxides (NOx)
	Nitrogen oxide can react with water vapors to form
	corrosive nitric acid.
	Carbon monoxide, Carbon dioxide (CO2)
	Aldehydes
	-
	Flammable hydrocarbon fragments
	In the event of fire: see section 5.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on the Likely Routes of Exposure

Eye Contact	Cause eye irritation
Skin Contact	Cause skin irritation
Inhalation	No data available
Ingestion	No data available

Symptoms Related to Physical, Chemical, and Toxicological Effects

Eye Contact	Cause eye irritation
Skin Contact	Cause skin irritation
Inhalation	Stomachache, nausea, vomiting.
Ingestion	Dullness, vision disorder, blindness

Chronic Toxicity / Effects from Long Term Exposure

Sensitization	Skin sensitizer	
Germ Cell Mutagenicity	No data available	
Carcinogenicity	No data available	
Reproductive Toxicity	No data available	
Specific Target Organ Systemic	No data available	
Toxicity (Single Exposure)	No data available	
Specific Target Organ Systemic	No data available	
Toxicity (Repeated Exposure)	No data available	
Products Numerical Measures of Toxicity Not determined		

Additional Information: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: ECOLOGICAL INFORMATION

Aquatic Life	No data available
Persistence and Degradability	No data available
Bio accumulative Potential	No data available
Mobility in Soil	No data available
Results of PBT and vPvB Assessment	No data available as chemical safety assessment not required/not conducted.

Other Adverse Effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste/Unused Products

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

This product should not be allowed to enter drains, water courses or the soil.

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contact supplier if guidance is required.

Contaminated Packaging

Dispose of container and unused contents in accordance with federal, state, and local requirements.

SECTION 14: TRANSPORTATION INFORMATION

DOT (US) Not Dangerous Goods

IMO/IMDG Not Dangerous Goods

ICAO/IATA Not Dangerous Goods

SECTION 15: REGULATORY INFORMATION

UNITED STATES

TSCA 8 (b) Inventory Status

All Components are listed or exempt from listing on the Toxic Substances Control Act Inventory.

TSCA 12 (b) Export Notification

None above reporting de minimus

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute health hazard	Yes
Chronic health hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive hazard	No

California Prop. 65 Components

This product may contain chemical known to the State of California to cause birth defects or other reproductive harm.

CANADA

CEPA DSL/NDSL Status

All components are listed or exempt from listing on the

Domestic Substances List.

SECTION 16: OTHER INFORMATION

HMIS Rating

	Health Hazard	2
	Flammability	1
	Physical Hazard	0
NFPA Rating		
	Health Hazard	2
	Fire Hazard	1
	Reactivity Hazard	0

Disclaimer

Disclaimer: The information contained herein is considered accurate; however, Granicrete International, makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.