

SAFETY DATA SHEET ORIGINAL DATE: 01-21-2024 REV. DATE: -- -- ----

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME: ALIPOLY 85 CLEAR GLOSS or SATIN HARDENER PART-B PRODUCT CODES: 2500-AP85

PRODUCT USE: Coatings Material

MANUFACTURER: Granicrete International ADDRESS: 4602 S 36th St, Phoenix, AZ 85040

24-7 EMERGENCY PHONE WITH PERS: 800-633-8253

PHONE: (602) 438-9464

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION Catego	☐ GHS PICTOGRAM		
Skin Sensitization			
Flammable Liquids			
Skin Irritation 4			
Eye Irritation 3			
Signal Word	DANGER		
Appearance	Clear Viscous Liquid		
Physical State	Liquid		
Odor	Solvent		
Hazard Statements:	H332: Harmful if inhaled		
	H317: May cause an allergic skin reaction		
	H319: Causes serious eye irritation		
	H335: May cause respiratory irritation		
	H334: May cause allergy or asthma symptoms or breathing		
	difficulties if inhaled		
Precautionary Statements:			
	not handle until all safety precautions have been read and understood.		
	p container tightly closed.		
P102: Keep out of reach of children.			
Prevention Statements:			
	he dust/ fume/ gas/ mist/ vapors/ spray.		
	oroughly after handling. Do not eat, drink or smoke when using product. ed work clothing should not be allowed out of the workplace. Avoid release		
to the environment.			
P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.			
Response Statements:			
P301: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.			
P302: IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse			
-	skin with water/ shower.		
P304: IF INHALED: Remove victim to fresh air and keep comfortable for breathing.			
P305: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if			
	present and easy to do. Continue rinsing. P311: Call a POISON CENTER or doctor/ physician if you feel unwell.		
	taminated clothing and wash before reuse.		
	ion or rash occurs: Get medical advice/ attention.		
	•		
-	ritation persists: Get medical advice/ attention. of fire: Use dry sand, dry chemical, or alcohol-resistant foam for extinction.		
P370+378; IN Case	or me, use any samu, any chemical, or alconor-resistant roam for extinction.		

Storage Requirements:

P403+233: Store in a well-ventilated cool place. Keep container tightly closed. Store locked up.

Disposal Requirements:

P501: Dispose of contents/ container to local and regional waste disposal requirements.

Hazards not otherwise classified:

Combustible Severe eye irritant Severe respiratory irritant May cause sensitization by skin

SECTION 3: COMPOSITION - INGREDIENTS

SECTION 4: FIRST-AID MEASURES

General Advice

Move out of dangerous area. Consult a physician with this SDS. Seek medical advice. If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately..

Eye Contact

Immediately flush eyes with plenty of water for at least 20 minutes

Skin Contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water for at 20 minutes. Get medical attention if irritation develops or persists.

Inhalation

Move to fresh air and keep at rest in a position comfortable for breathing. If not breathing or breathing is irregular, provide artificial respiration or give oxygen by trained personnel. Get medical attention immediately.

Ingestion

Never give anything by mouth to an unconscious person. DO NOT induce vomiting. Rinse mouth with water. Get medical attention immediately. Repeated and/or prolonged exposure.

Most Important Symptoms/Effect, Acute and Delayed

Repeated and/or prolonged exposure to low concentrations of vapors and/or aerosols may cause: Sore throat, eye disease, skin disorders, allergies, asthma, and neurological disorders.

Immediate Medical Attention and Special Treatment

Note to Physicians: Application of corticosteroid cream has been effective in treating skin irritation.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Specific Hazards from Substances of Mixture

Incomplete combustion may form carbon monoxide. May generate ammonia gas. May generate toxic nitrogen oxide gases. Burning produces noxious and toxic fumes. Downwind personnel must be evacuated. Use personal protective equipment.

Special Protective Equipment for Fire Fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further Information

Do not allow run-off from firefighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, Emergency Producers

Wear suitable protective clothing, gloves, and eye/face protection. Avoid breathing vapors/mist/gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and Materials for Containment and Cleaning-Up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. For disposal see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Put on appropriate personal protective equipment before handling. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge.

Conditions for Safe Storage

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hygiene Practice

Eating, drinking, and smoking should be prohibited in areas where this material is handled. Wash hands thoroughly after handling.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Hexamethylene –di-isocyanate (CAS: 822-06-0) Threshold Limit Value: ACGIH 0.005ppm National Institute for Occupational Safety and Health

Engineer Controls

Use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure to airborne contaminants below recommended exposure limits.

Wear appropriate personal protective equipment where such systems are not effective to perform satisfactorily and meets OSHA or other recognized standards. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal Protection Equipment

Eye/Face Protection	Tightly fitted sa	ifety goggles.
	Face shield (8-i	nch minimum).
	Use equipment	for eye protection tested and approved under appropriate
	government sta	andards such as NIOSH (US) or EN 166(EU).
Skin Protection	Handle with glo	oves. Gloves must be inspected prior to use.
	Use proper glov	ve removal technique (without touching glove's outer surface)
	to avoid skin co	ontact with this product.
	Dispose of cont	aminated gloves after use in accordance with applicable laws
	and good labor	atory practices.
	Wash and dry h	nands after handling or before eating, drinking, or smoking.
	If used in soluti	on, or mixed with other substances, and under conditions
	which differ fro	m EN 374, contact the supplier of the CE approved gloves.
	This recommer	dation is advisory only and must be evaluated by an industrial
	hygienist and s	afety officer familiar with the specific situation of anticipated
	use by our cust	omers. It should not be construed as offering an approval for
	any specific use	e scenario.
Body Protection	Impervious clot	thing. Closed-toe shoe.
		t antistatic protective clothing.
		tective equipment must be selected according to the
	concentration and amount of the dangerous substance at the specific	
	workplace.	
Respiratory Protection	Protection Where risk assessment shows air-purifying respirators are appropriate use a	
		ator with multipurpose combination (US) or type ABEK (EN
	14387) respirat	or cartridges as a backup to engineering controls.
	If the respirato	r is the sole means of protection, use a full-face supplied air
	respirator. Use respirators and components tested and approved under	
	appropriate government standards such as NIOSH (US) or CEN (EU).	
Environmental Exposure Controls		Drovent further leakage or chillege if cafe to do co. Do not
Environmental Exposu	ie controis	Prevent further leakage or spillage if safe to do so. Do not allow product to enter sewers or waterways.
		anow product to effici sewers of waterways.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State Viscous liquid Color Clear Odor Solvent Odor Threshold pН Melting Point / Freezing Point **Boiling Point/Range** Flash Point / Evaporation Rate Flammability (solid/gas) Upper/lower Flammability Limit / Vapor Pressure Vapor Density **Relative Density** Water Solubility <0.1 g/L Partition Coefficient: n-octanol/water Auto-Ignition Temperature **Decomposition Temperature** Viscosity **Explosive Properties Oxidizing Properties**

No data available 1.175 g/cm3 at 77°F (25°C) No data available No data available No data available 50-150 CPS at 77°F (25°C) No data available No data available

SECTION 10: STABILITY AND REACTIVITY

SECTION 10. STABILITY AND REACTIVITY

Control Parameters	No data available
Chemical Stability	Stable under recommended storage conditions
Possibility of Hazardous Reaction	No data available
Conditions to Avoid	Heat, flames, sparks, and oxidizing agents
Incompatible Materials	Reactive metals (Sodium, Calcium, Zinc, etc.)
	Materials reactive with hydroxyl compounds
	Organic acids (acetic acid, citric acid, etc.)
	Mineral acids
	Sodium hypochlorite
	Product slowly corrodes copper, aluminum, zince,
	and galvanized surfaces.
	Reaction with peroxides may result in violent
	decomposition of peroxide possibly creating an
	explosion.
	Oxidizing agents
Hazardous Decomposition Products	Nitric acid, Ammonia
	Nitrogen oxides (NOx)
	Nitrogen oxide can react with water vapors to form
	corrosive nitric acid.
	Carbon monoxide, Carbon dioxide (CO2)
	Aldehydes
	Flammable hydrocarbon fragments
	In the event of fire: see section 5.

VOC = 0 g/L

SECTION 11: TOXICOLOGICAL INFORMATION

Information on the Likely Routes of Exposure

Eye Contact	Cause eye irritation
Skin Contact	Cause skin irritation
Inhalation	No data available
Ingestion	No data available

Symptoms Related to Physical, Chemical, and Toxicological Effects

Eye Contact	Cause eye irritation
Skin Contact	Cause skin irritation
Inhalation	Stomachache, nausea, vomiting
Ingestion	Dullness, vision disorder, blindness

Chronic Toxicity / Effects from Long Term Exposure

Sensitization	Skin sensitizer
Germ Cell Mutagenicity	No data available
Carcinogenicity	No data available
Reproductive Toxicity	No data available
Specific Target Organ Systemic	No data available
Toxicity (Single Exposure)	No data available
Specific Target Organ Systemic	No data available
Toxicity (Repeated Exposure)	No data available
Products Numerical Measures of Toxicity Not determined	

Additional Information: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

6

SECTION 12: ECOLOGICAL INFORMATION

Aquatic Life	No data available
Persistence and Degradability	No data available
Bio accumulative Potential	No data available
Mobility in Soil	No data available
Results of PBT and vPvB Assessment	No data available as chemical safety assessment not required/not conducted.

Other Adverse Effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste/Unused Products

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

This product should not be allowed to enter drains, water courses or the soil.

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contact supplier if guidance is required.

Contaminated Packaging

Dispose of container and unused contents in accordance with federal, state, and local requirements.

SECTION 14: TRANSPORTATION INFORMATION

DOT (US) Not Dangerous Goods

IMO/IMDG Not Dangerous Goods

ICAO/IATA Not Dangerous Goods

SECTION 15: REGULATORY INFORMATION

UNITED STATES

TSCA 8 (b) Inventory Status

All Components are listed or exempt from listing on the Toxic Substances Control Act Inventory.

TSCA 12 (b) Export Notification

None above reporting de minimus

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive hazard	Yes

California Prop. 65 Components

This product may contain chemical known to the State of California to cause birth defects or other reproductive harm.

CANADA

CEPA DSL/NDSL Status

All components are listed or exempt from listing on the

Domestic Substances List.

SECTION 16: OTHER INFORMATION

HMIS Rating

	Health Hazard	2
	Flammability	1
	Physical Hazard	0
NFPA Rating		
	Health Hazard	2
	Fire Hazard	1
	Reactivity Hazard	0

Disclaimer

Disclaimer: The information contained herein is considered accurate; however, Granicrete International, makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.